

NOV 20 2007

**CLAIM AMENDMENTS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method of forwarding a call from a mobile phone, the method comprising:

determining that the mobile phone is within range of a wireless local area network base station with voice over internet protocol capability, the mobile phone including a wireless local area network (WLAN) module and a wireless wide area network (WWAN) module;

receiving an internet protocol address associated with the wireless local area network base station via the WLAN module;

sending a call forwarding message including the ~~internet protocol~~ Internet Protocol (IP) address from the mobile phone to a remote cellular network element of a wide area cellular network via the WWAN module, the call forwarding message to redirect a call destined for the mobile phone to the wireless local area network base station for transmission to the mobile phone.

2. (Currently Amended) The method of claim 1, ~~wherein the cellular network redirects a call destined to the mobile phone to the wireless local area network base station for communication with~~ wherein the mobile phone receives the redirected call from the wireless local area network base station and allows voice communication using the a voice over internet protocol.

3. (Previously Presented) The method of claim 1, wherein the mobile phone determines that it is in range of the wireless local area network by receiving a message in accordance with an IEEE 802.11 communication protocol.

4. (Previously Presented) The method of claim 1, wherein the internet protocol address is communicated to the mobile phone using a dynamic host configuration protocol.

5. (Original) The method of claim 1, further comprising determining that the mobile phone has moved out of range of the wireless local area network base station and sending a message to the cellular network element to cancel call forwarding to the wireless local area network base station.

6. (Previously Presented) The method of claim 5, wherein the wide area cellular network sends a call directly to the mobile phone over a cellular spectrum after the mobile phone has moved out of range of the wireless local area network base station.

7. (Previously Presented) The method of claim 2, wherein the mobile phone and the wireless local area network base station communicate bidirectionally using a voice over internet protocol.

8 - 13 (Canceled)

14. (Previously Presented) A mobile phone device comprising:  
a housing;  
an antenna attached to the housing;  
~~a memory disposed within the housing, the memory to store an internet protocol address~~  
~~associated with a wireless local area network base station and received by the~~  
~~mobile phone from a the wireless local area network;~~  
a wide area cellular communications module disposed within the housing, the wide area  
cellular communications module having a cellular interface to communicate with  
a remote wide area cellular network; and  
a short-range wireless local area network module disposed within the housing, the short-  
range wireless local area network module ~~having~~ including a wireless interface to  
communicate with the wireless local area network having voice over internet  
protocol communications capability, the short-range wireless local area network  
module adapted to receive an Internet Protocol (IP) address from the wireless  
local area network;  
wherein the wide area cellular communication module formulates a call forwarding  
message that includes the ~~internet protocol~~ IP address[,]; and  
wherein the wide area cellular communication module communicates the call forwarding  
message to be communicated to the remote wide area cellular network via the  
cellular interface.

15. (Original) The mobile phone device of claim 14, wherein the wide area cellular  
communications module and the short-range wireless local area network module are computer  
software modules integrated within a digital processor device.

16. (Canceled)

17. (Canceled)

18. (Currently Amended) The mobile phone device of claim 14, wherein the wide area cellular communication module is adapted to formulate[[s]] a message to cancel the previously communicated call forwarding message to be sent to the remote wide area cellular network.

19. (Previously Presented) The method of claim 2, wherein the call destined to the mobile phone is communicated between the remote cellular network element and the wireless local area network base station without utilizing a public switched telephone network.

20. (Canceled)

21. (Canceled)

22. (New) The mobile phone of claim 14, further comprising a memory adapted to store the IP address and a local port number that uniquely identify a communication path between the mobile phone and the wireless local area network.

23. (New) The mobile phone of claim 14, further comprising a network messaging module to selectively communicate text messages via one of the wide area cellular communications module and the short-range wireless local area network module.

24. (New) A method of forwarding a call from a mobile communication device, the method comprising:

receiving an Internet Protocol (IP) address at a wireless communication device from a dynamic host configuration protocol (DHCP) module of a wireless local area network device via a short range wireless network, the wireless communication device including a wide area network communications module to communicate with a wide area wireless network and a local area network communications module to communicate with the wireless local area network device;

establishing a connection to a Voice over Internet Protocol (VoIP) provider via the wireless local area network using the IP address; and

after the mobile communication device is registered with the VoIP provider, sending a call forwarding message from the mobile communication device to a cellular network element of the wide area wireless network via the wide area network communications module, the call forwarding message including data related to the VoIP provider to forward calls intended for the mobile communications device to the VoIP provider for routing to the mobile communication device via the wireless local area network.

25. (New) The method of claim 24, further comprising receiving a phone call at the mobile communication device via the local area network communications module, the phone call being forwarded from the wide area wireless network to the VoIP provider and from the VoIP provider to the IP address associated with the wireless local area network.

26. (New) The method of claim 24, wherein the call forwarding message further includes a port number defining a communication path to the mobile communication device via the short range wireless network.

27. (New) The method of claim 24, wherein the short range wireless network comprises an 802.11 protocol network.

28. (New) The method of claim 24, wherein the mobile communication device further includes a memory to store an Internet Protocol (IP) address of the VoIP provider and to store a user identification and password associated with the VoIP provider, wherein communicating with the VoIP provider comprises accessing the IP address of the VoIP provider and sending the user identification and password to the VoIP provider to establish a connection between the mobile communication device and the VoIP provider.